

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	49284	"one to one" "one-to-one"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:31
L3	973	(map\$4 or match\$3 or group\$3 or relat\$3) near (class or classes) and 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:10
L4	0	3 and java and ".net"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:09
L5	29	3 and java and ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:09
L6	85	("one to one" "one-to-one") near5 (map\$4 or match\$3 or group\$3 or relat\$3) near5 (class or classes)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:39
L7	53	("one to one" "one-to-one") near10 (proxy proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:32
L8	1	("one to one" "one-to-one") near5 class near5 (proxy proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:33
L9	1	("one to one" "one-to-one") near5 classes near5 (proxy proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:33
L10	13	("one to one" "one-to-one") near5 (class method function object) near5 (proxy proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:33
L11	26	("one to one" "one-to-one") near2 (map\$4 or match\$3 or group\$3 or relat\$3) near2 (class or classes)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:52
L12	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 18:43

## EAST Search History

L13	0	"709313".ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 18:43
L14	0	"709/313".ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 18:45
L15	381	"717/162".ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 18:49
S1	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:06
S2	7	(java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 12:31
S3	1932	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 20:07
S4	3	microsoft adj ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:01
S5	299	".net" remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:02
S6	1932	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:13
S7	12	?net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:14
S8	5	net adj remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:14
S9	270	((one adj2 one) near2 map\$4) and prox\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:52

## EAST Search History

S10	33	((one adj2 one) near2 map\$4) near5 (class\$2 interface?)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:53
S11	272	717/138-139.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:38
S12	529747	".net" remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:38
S13	299	remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:38
S14	62	remoting and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:39
S15	49	net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:44
S16	24	(net adj remot\$3) and map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:44
S17	3585	(one adj2 one) near2 map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:45
S18	1	(net adj remot\$3) and ((one adj2 one) near2 map\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:45
S19	662	(719/313 719/330).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 20:07
S50	2495	(creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/15 12:15
S52	1	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/15 12:17

## EAST Search History

S53	32	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/15 12:17
S54	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S55	7	(java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S56	2162	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S57	3	microsoft adj ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S58	366	".net" remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S59	2162	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S60	12	?net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S61	14	net adj remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S62	342	((one adj2 one) near2 map\$4) and prox\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S63	40	((one adj2 one) near2 map\$4) near5 (class\$2 interface?)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S64	328	717/138-139.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27

## EAST Search History

S65	578022	".net" remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S66	366	remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S67	96	remoting and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S68	62	net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S69	31	(net adj remot\$3) and map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S70	4127	(one adj2 one) near2 map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S71	1	(net adj remot\$3) and ((one adj2 one) near2 map\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S72	757	(719/313 719/330).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S73	2495	(creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/18 10:27
S74	1	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/18 10:27
S75	32	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/18 10:27
S76	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00

## EAST Search History

S77	7	(java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S78	2333	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S79	3	microsoft adj ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S80	421	".net" remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S81	2333	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S82	13	?net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S83	20	net adj remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S84	370	((one adj2 one) near2 map\$4) and prox\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S85	43	((one adj2 one) near2 map\$4) near5 (class\$2 interface?)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S86	351	717/138-139.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S87	607312	".net" remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S88	421	remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00

## EAST Search History

S89	122	remoting and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S90	70	net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S91	33	(net adj remot\$3) and map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S92	4481	(one adj2 one) near2 map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S93	1	(net adj remot\$3) and ((one adj2 one) near2 map\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S94	825	(719/313 719/330).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S95	2777	(creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S96	1	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S97	34	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S98	2333	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S99	421	".net" remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S100	2333	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00

## EAST Search History

S10 1	607312	".net" remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 2	421	remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 3	4481	(one adj2 one) near2 map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 4	2777	(creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S10 5	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 6	1	(net adj remot\$3) and ((one adj2 one) near2 map\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 7	1	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S10 8	7	(java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 9	3	microsoft adj ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 0	13	?net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 1	20	net adj remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 2	43	((one adj2 one) near2 map\$4) near5 (class\$2 interface?)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00



## EAST Search History

S11 3	122	remoting and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 4	70	net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 5	33	(net adj remot\$3) and map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 6	34	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S11 7	370	((one adj2 one) near2 map\$4) and prox\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 8	351	717/138-139.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 9	825	(719/313 719/330).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S12 0	1	"20020143641".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/22 15:22
S12 1	0	broker near10 brokerless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:31
S12 2	8	broker same brokerless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:43
S12 3	1	"5,870,605".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:38
S12 4	35	broker same (without "does not" "with out") adj broker	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:45

## EAST Search History

S12 5	33	S124 not S122	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:57
S12 6	14	(static\$4 and dynamic\$4) near (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 07:00
S12 7	1	S126 and (one-to-one or one adj to adj one)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 07:22
S12 8	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 08:21
S12 9	1	"20020143641".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 08:21
S13 0	87	(one adj to adj one or one adj2 one) near3 (map\$4 or match\$3 or group\$3 or relat\$3) near3 (class or classes)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:22
S13 1	0	(map\$4 or match\$3 or group\$3 or relat\$3) near3 (java and ".net") near3 (class or classes)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 10:38
S13 6	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 10:38
S13 8	1	S136 and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 10:38
S13 9	1	(map\$4 or match\$3 or group\$3 or relat\$3) near3 (java and net) near3 (class or classes)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:07
S14 2	9921	net and microsoft	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 10:39
S14 3	48	net near remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 10:39

## EAST Search History

S14 5	1	S130 and S143	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 10:40
S14 6	1	"6704747".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:01
S14 7	10108	((map\$4 or match\$3 or group\$3 or relat\$3) near3 (class or classes)) and languages	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:08
S14 8	5433	((map\$4 or match\$3 or group\$3 or relat\$3) near (class or classes)) and languages	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:10
S15 3	46956	one-to-one	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:22
S15 5	913	((map\$4 or match\$3 or group\$3 or relat\$3) near (class or classes)) and one-to-one	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:27
S15 6	5	S155 and S143	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:24
S15 8	4	(map\$4 or match\$3 or group\$3 or relat\$3) near (class or classes) near one-to-one	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:26

[Google](#)**Advanced Search**[Advanced Search Tips](#) | [About Google](#)

<b>Find results</b>	with <b>all</b> of the words	<input type="text" value="'.net and java'"/>	<input type="text" value="50 results"/> <input type="button" value="Google Search"/>
	with the <b>exact phrase</b>	<input "="" type="text" value='"one to one mapping'/>	
	with <b>at least one</b> of the words	<input type="text"/>	
	<b>without</b> the words	<input type="text"/>	
<b>Language</b>	Return pages written in	<input type="text" value="any language"/>	
<b>File Format</b>	<input type="checkbox"/> Only <input type="checkbox"/> return results of the file format	<input type="text" value="any format"/>	
<b>Date</b>	Return web pages updated in the	<input type="text" value="anytime"/>	
<b>Numeric Range</b>	Return web pages containing numbers between	<input type="text"/> and <input type="text"/>	
<b>Occurrences</b>	Return results where my terms occur	<input type="text" value="anywhere in the page"/>	
<b>Domain</b>	<input type="checkbox"/> Only <input type="checkbox"/> return results from the site or domain	<input type="text" value="e.g. google.com, .org"/> <a href="#">More info</a>	
<b>Usage Rights</b>	Return results that are	<input type="text" value="not filtered by license"/> <a href="#">More info</a>	
<b>SafeSearch</b>	<input checked="" type="radio"/> No filtering <input type="radio"/> Filter using <a href="#">SafeSearch</a>		

**Page-Specific Search**

<b>Similar</b>	Find pages similar to the page	<input type="text" value="e.g. www.google.com/help.html"/> <input type="button" value="Search"/>
<b>Links</b>	Find pages that link to the page	<input type="text"/> <input type="button" value="Search"/>

**Topic-Specific Searches**

[Google Book Search](#) - Search the full text of books  
[New! Google Code Search](#) - Search public source code  
[Google Scholar](#) - Search scholarly papers  
[Google News archive search](#) - Search historical news

[Apple Macintosh](#) - Search for all things Mac  
[BSD Unix](#) - Search web pages about the BSD operating system  
[Linux](#) - Search all penguin-friendly pages  
[Microsoft](#) - Search Microsoft-related pages

[U.S. Government](#) - Search all U.S. federal, state and local government sites  
[Universities](#) - Search a specific school's website

©2006 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

".net and java" "one to one mapping"

[Search](#)

[Advanced Search](#)  
[Preferences](#)

## Web

Results 1 - 27 of about 51 for ".net and java" "one to one mapping" . (0.60 seconds)

### J-Integra For .NET Documentation

**NET and Java.** J-Integra For .NET offers such enterprise companies the ability ... that there is a **one-to-one mapping** between the class and type hierarchy. ...

j-integra.intrinsyc.com/support/net/doc/whnjs.htm - 2k - [Cached](#) - [Similar pages](#)

### The Generated Proxies API

There is a direct **one-to-one mapping** between . ... **NET and Java** classes. This means that Java proxies for the super classes and the implemented interfaces ...

j-integra.intrinsyc.com/support/net/doc/api/proxyAPI.html - 8k - [Cached](#) - [Similar pages](#)

[ [More results from j-integra.intrinsyc.com](#) ]

### Web services programming tips and tricks: Improve interoperability ...

Because native data types and XSD data types do not share a **one-to-one mapping**, ... **NET and Java** technology can result in namespace conflicts, ...

www.ibm.com/developerworks/webservices/library/ws-tip-j2ee-net1/ - 57k -

[Cached](#) - [Similar pages](#)

### On the Thought: November 2004

**NET and Java** on the desktop · Destructors in GCed languages II ... so I always thought in terms of a **one-to-one mapping** between the book and the seminar. ...

onhethought.blogspot.com/2004\_11\_01\_onhethought\_archive.html - 29k -

[Cached](#) - [Similar pages](#)

### Visual Studio Magazine – First Looks – Turn Your .NET App Into Java

**NET and Java** platforms make it impossible to perform strict **one-to-one mapping**.

For example, exceptions from the .NET platform are derived from the System. ...

www.ftponline.net/vsm/2005\_09/magazine/departments/firstlooks/page2.aspx - 36k -

[Cached](#) - [Similar pages](#)

### Interoperability Technologies: Point to Point

**NET and Java** assemblies require a single XML namespace for all types. ... means that there is a **one-to-one mapping** between the class and type hierarchy. ...

msdn2.microsoft.com/en-us/library/ms978761.aspx - 112k - [Cached](#) - [Similar pages](#)

### The Fallacy of the Data Layer

This is not a **one-to-one mapping** between service method and stored procedure. ...

**NET and Java.** Interoperability is no longer a luxury but a necessity. ...

www.theserverside.net/news/thread.tss?thread\_id=30568 - 230k -

[Cached](#) - [Similar pages](#)

### Recharging Web Services Development

**NET and Java** portlets; and on how easy it is to integrate . ... developer can do a simple **one-to-one mapping** between a Java component and the Web service. ...

www.developer.com/services/article.php/1107801 - 66k - [Cached](#) - [Similar pages](#)

### XML and Scripting Languages

**NET and Java** portlets; and on how easy it is to integrate . ... There is **one-to-one mapping** between XSLScript and XSLT instructions. ...

www.developer.com/open/article.php/630241 - 64k - [Cached](#) - [Similar pages](#)

[ [More results from www.developer.com](#) ]

### [PS] CS351 Spring 2005, Project 1 Mooglee

File Format: Adobe PostScript - [View as Text](#)

Note that to ensure the **one-to-one mapping**, URLs will have to be. canonicalized. ...

The designer MAY use the tools in java.net and java.swing.text.html ...

www.cs.unm.edu/~terran/downloads/classes/cs351-s05/projects/p1/p1spec.ps -

[Similar pages](#)

### [PPT] Title of Your Presentation

File Format: Microsoft Powerpoint - [View as HTML](#)

**NET, and Java.** Attendees should have exposure to Web services concepts and ...  
**One-to-one mapping** between ReportCaster Web services and ReportCaster Java ...  
www.informationbuilders.com/events/summit06/presentations/ES13.ppt -  
[Similar pages](#)

#### EDUCAUSE REVIEW | March/April 2005, Volume 40, Number 2

... levels of sophistication preclude a **one-to-one mapping** between a given concept ...  
**NET, and Java's** extensive built-in libraries) has made reusable data ...  
www.educause.edu/apps/er/erm05/erm0521.asp - 73k - [Cached](#) - [Similar pages](#)

#### Servlets vs. Stateless Session Beans for Stateless Requests

**NET and Java** people will cooperate for the first time, as Rod pointed out "it is ... for  
instance by enforcing a **one-to-one mapping** of objects to tables. ...  
www.theserverside.com/news/thread.tss?thread\_id=17805 - 492k -  
[Cached](#) - [Similar pages](#)

#### Java in a Nutshell, Fourth Edition: Chapter 4: The Java Platform

(The java.io, java.net, and java.nio APIs for performing I/O operations are discussed  
... and that there is **one-to-one mapping** between characters and bytes. ...  
www.oreilly.de/catalog/javanut4/chapter/ - 206k - [Cached](#) - [Similar pages](#)

#### [PDF] Modelling programming language semantics using a common semantic model

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
**NET and Java** concepts that they relate. Chapter 4 identifies ... NET have a  
**one-to-one mapping** onto Java . This mapping is represented as ...  
www.cosc.canterbury.ac.nz/research/reports/HonsReps/2006/hons\_0601.pdf -  
[Similar pages](#)

#### Cover Pages: XML Articles and Papers September 2003

In other words, there must be a **one-to-one mapping** between the external and ... **Net**  
**and Java**-based portal elements. Plumtree Software Inc. announced earlier ...  
xml.coverpages.org/xmlPapers200309.html - 507k - [Cached](#) - [Similar pages](#)

#### VB6 as COBOL: The VB.NET Effect

NET, he would notice there is practically a **one to one mapping** of the keywords and  
... **NET and Java** Help, AFTER Training. Architecture and Mentoring ...  
www.newtechusa.com/Viewpoints/VBDotNetEffect.asp - 39k - [Cached](#) - [Similar pages](#)

#### IKVM.NET Weblog

... comment you're on the right track, there is no **one-to-one mapping** between  
System. ... **NET and Java** exceptions is definitely something I'm aiming for. ...  
weblog.ikvm.net/allentries.aspx - 952k - [Cached](#) - [Similar pages](#)

#### [PDF] IBM WebSphere and Microsoft .NET Interoperability

File Format: PDF/Adobe Acrobat  
**NET and Java.** runtime environments can run in the same runtime environment or  
different ... **One-to-one mapping** is not always possible ...  
www.redbooks.ibm.com/redbooks/pdfs/sg246799.pdf - [Similar pages](#)

#### [PDF] AN EXPLORATORY ANALYSIS OF THE .NET COMPONENT MODEL AND UNIFRAME ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
Provision for **one-to-one mapping** between the class and type hierarchy. Web ... **NET**  
**and Java** interoperability. Some of the other mechanisms to achieve ...  
www.cs.iupui.edu/uniFrame/pubs-openaccess/natasha.pdf - [Similar pages](#)

#### [PDF] Application Interoperability:

File Format: PDF/Adobe Acrobat  
conjunction with XML Schemas to exchange data between **.NET and Java** in a ... for  
type system fidelity, which means that there is a **one-to-one mapping** ...  
download.microsoft.com/download/7/2/6/  
7269f183-639a-4e99-bd84-cc3e6515af86/PnP\_J2EE\_Interop\_V1.pdf - [Similar pages](#)

#### Steve Richards - Adventures in home working :: Desktop Computing

... There isn't a direct **one to one mapping** between every file I work on and ... **NET**  
**and Java.** Internet Explorer itself falls into this category as it ...  
steves.blogharbor.com/blog/IT/DesktopComputing - 161k - [Cached](#) - [Similar pages](#)

#### Steve Richards - Adventures in home working :: Information Management

... There isn't a direct **one to one mapping** between every file I work on and ... **NET,**

and **Java** continue to reduce the value proposition of the thick client. ...  
steves.blogharbor.com/blog/IT/InformationManagement - 157k -  
[Cached](#) - [Similar pages](#)  
[ [More results from steves.blogharbor.com](#) ]

[PDF] [Product-Line Development for Mobile Device Applications with ...](#)

File Format: PDF/Adobe Acrobat

Case (a) is usually not very interesting because it supports only an **one-to-one mapping** ... Several modern general-purpose languages, e.g., **NET and Java**, ...  
www.st.informatik.tu-darmstadt.de/database/publications/data/cepa-thesis.pdf?id=146  
- [Similar pages](#)

[Microsoft Word - A01T.doc](#)

File Format: Unrecognized

**NET and Java** to a common XML Schema file, CustomerData.xsd. ... Support for type system fidelity, which means that there is a **one-to-one mapping** ...  
www.netindonesia.net/Anggota/BestPractice/Downloads\_GetFile.aspx?id=427 -  
[Similar pages](#)

[PDF] [PDFlib 6 Reference Manual](#)

File Format: PDF/Adobe Acrobat

**NET, and Java** bindings. (default for other bindings: false). ... Instead of **one-to-one mapping**, the second element in each pair may be an option list ...  
www.cgi.uni-regensburg.de/WWW\_Server/  
Dokumentation/PDFlib/PDFlib-manual-6\_02.pdf - [Similar pages](#)

[PDF] [TEAMFLY](#)

File Format: PDF/Adobe Acrobat

**NET and Java**. The MDA will provide standard mappings to help tools ... There need not be a **one-to-one mapping** between a subsystem interface ...  
e-books.amagrammer.net/UML%20&%20소프트웨어공학/  
Real-Time%20Design%20Patterns%20-%20Robust%20S... - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 27 already displayed.*

*If you like, you can [repeat the search with the omitted results included](#).*

Try [Google Desktop](#): search your computer as easily as you search the web.

---

".net and java" "one to one mapping"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Google](#)**Advanced Search**[Advanced Search Tips](#) | [About Google](#)

<b>Find results</b>	with <b>all</b> of the words	<input type="text" value=".net java"/>	<input type="text" value="50 results"/>	<input type="button" value="Google Search"/>
	with the <b>exact phrase</b>	<input type="text" value="one to one"/>		
	with <b>at least one</b> of the words	<input type="text" value="map mapping match matchin"/>		
	without the words	<input type="text"/>		
<b>Language</b>	Return pages written in	<input type="text" value="any language"/>		
<b>File Format</b>	<input type="checkbox"/> Only <input type="checkbox"/> return results of the file format	<input type="text" value="any format"/>		
<b>Date</b>	Return web pages updated in the	<input type="text" value="anytime"/>		
<b>Numeric Range</b>	Return web pages containing numbers between	<input type="text"/> and <input type="text"/>		
<b>Occurrences</b>	Return results where my terms occur	<input type="text" value="anywhere in the page"/>		
<b>Domain</b>	<input type="checkbox"/> Only <input type="checkbox"/> return results from the site or domain	<input type="text" value="e.g. google.com, .org"/>	<a href="#">More info</a>	
<b>Usage Rights</b>	Return results that are	<input type="text" value="not filtered by license"/>	<a href="#">More info</a>	
<b>SafeSearch</b>	<input checked="" type="radio"/> No filtering <input type="radio"/> Filter using <a href="#">SafeSearch</a>			

**Page-Specific Search**

<b>Similar</b>	Find pages similar to the page	<input type="text" value="e.g. www.google.com/help.html"/>	<input type="button" value="Search"/>
<b>Links</b>	Find pages that link to the page	<input type="text"/>	<input type="button" value="Search"/>

**Topic-Specific Searches**

[Google Book Search](#) - Search the full text of books  
[New! Google Code Search](#) - Search public source code  
[Google Scholar](#) - Search scholarly papers  
[Google News archive search](#) - Search historical news

[Apple Macintosh](#) - Search for all things Mac  
[BSD Unix](#) - Search web pages about the BSD operating system  
[Linux](#) - Search all penguin-friendly pages  
[Microsoft](#) - Search Microsoft-related pages

[U.S. Government](#) - Search all U.S. federal, state and local government sites  
[Universities](#) - Search a specific school's website

©2006 Google



[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

**Web** Results 1 - 50 of about 351,000 for **.net java map OR mapping OR match OR matching OR group OR grouping "one to one"**. (0.66 seconds)

[Computing Reviews](#), the leading online review service for computing ...

Service **matching** in agent systems: Applied Intelligence ... Geronimo is an open source application server for the Java 2 Platform, Enterprise Edition (J2EE) ...

[www.reviews.com/](#) - 41k - [Cached](#) - [Similar pages](#)

[OpenSymphony - Welcome To OpenSymphony](#)

The Quartz team of the OpenSymphony group is proud to announce the official release of ... Previously, you could only **map** alias level **mapping** to a sub index ...

[www.opensymphony.com/](#) - 27k - [Cached](#) - [Similar pages](#)

[Mark Lam's Blog: The BIG Picture: a Map of CVM](#)

Map of CVM Data Structures Click on the **map** to get a popup window with a 1024 x 768 res ... There is a **one-to-one mapping** between the ee and the java.lang. ...

[weblogs.java.net/blog/mlam/archive/2006/11/the\\_big\\_picture.html](#) - 26k -

[Cached](#) - [Similar pages](#)

[Chet Haase's Blog](#)

Chet Haase Chet is an architect in the Java Client Group at Sun Microsystems. ... it overshoots the **mapping** area and the **map** path is 75% of the drawn path. ...

[weblogs.java.net/blog/chet/](#) - 72k - [Cached](#) - [Similar pages](#)

[ [More results from weblogs.java.net](#) ]

[ONJava.com -- Java vs. .NET Security, Part 4](#)

Java and .NET security models and APIs compared side-by-side. ... NET applications **map** user requests to the Session objects, with their timeouts (in ...

[www.onjava.com/pub/a/onjava/2004/02/25/javavsdotnet.html](#) - 34k - Dec 5, 2006 -

[Cached](#) - [Similar pages](#)

[ONJava.com -- Hibernate 3 Formulas](#)

Hibernate 3.x pushes this to another level by enhancing **mapping** ... **one-to-one** , element , many-to-many , **map-key** , **map-key-many-to-many** , and property ...

[www.onjava.com/pub/a/onjava/2005/08/03/hibernate.html](#) - 32k - Dec 6, 2006 -

[Cached](#) - [Similar pages](#)

[ [More results from www.onjava.com](#) ]

[java.net: More Persistence for Client-Side Developers](#)

The simplest kind of relationship is a **one-to-one mapping**. ... In addition to List s, the Persistence API also supports Set s, Map s, and general Collection ...

[today.java.net/pub/a/today/2006/06/08/](#)

[more-ejb3-persistence-api-for-client-side-developer.html](#) - 41k - [Cached](#) - [Similar pages](#)

[java.net: Juggling JOGL](#)

OpenGL coordinates don't necessarily **map one-to-one** with on-screen pixel ... To exercise this **mapping**, please check out the ballbounce.tar.gz sample code ...

[today.java.net/pub/a/today/2004/03/18/jogl-2d-animation.html](#) - 23k -

[Cached](#) - [Similar pages](#)

[ [More results from today.java.net](#) ]

[thogau.net · Tutorial : Hibernate mapping with xdoclet](#)

Long property for the persisted ID and a java.util.String property. I will refer to those classes ... @hibernate.**one-to-one** class="net.thogau.website.model. ...

[www.thogau.net/tutorials/pojo/tutorial04-01.jsp](#) - 26k - [Cached](#) - [Similar pages](#)

[java.net Forums](#)

I'm not sure I follow you - isn't this the correct way to **map** a bi-directional **one-to-one** relationship? How else would I do it? ...

[forums.java.net/jive/thread.jspa?messageID=171860](#) - 28k - [Cached](#) - [Similar pages](#)

[hibernate mapping dtd](#)

DOCTYPE hibernate-mapping PUBLIC "-//Hibernate/Hibernate Mapping DTD 2.0/EN" "http://hibernate.sourceforge.net/hibernate-mapping-2.0.dtd"> An instance of ...

[hibernate.sourceforge.net/hibernate-mapping-2.0.dtd](#) - 26k - [Cached](#) - [Similar pages](#)

[hibernate mapping 3.0 dtd](#)

ATTLIST component node CDATA #IMPLIED> <!-- A dynamic-component maps columns of the database entity to a java.util.Map at the Java level --> <!-- ...

[hibernate.sourceforge.net/hibernate-mapping-3.0.dtd](#) - 45k - [Cached](#) - [Similar pages](#)

[ProcessBuilder \(Java Platform SE 6 b104\)](#)

Returns a string **map** view of this process builder's environment. ... there may not be a

**one-to-one mapping** between them and Java's Unicode strings. ...  
download.java.net/jdk6/docs/api/java/lang/ProcessBuilder.html - 37k -  
[Cached](#) - [Similar pages](#)

**The Richmond Post: XUL Titan Interview: Son To (of Sulu fame) - Part I**  
Not all xul tags map **one to one** to Swing components, ... but since there isn't a **one to one mapping** from Mozilla XUL to Swing components, not all tags are ...  
xul.sourceforge.net/post/2004/06/xul\_titan\_interview\_son\_to\_of\_sulu\_fame\_part\_i.html  
- 13k - [Cached](#) - [Similar pages](#)

**Overview of GrFinger SDK - ActiveX (OCX) / DLL / Applet / Java ...**  
NET, FoxPro and many others. GrFinger SDK offers a fast matching speed of up ...  
when you want just to capture fingerprints, but do not want to match them. ...  
www.componentsource.com/products/517403/20156/index.html - 24k -  
[Cached](#) - [Similar pages](#)

**CS683: Doc 29, One-to-One Mapping**  
Emerging Technology Fall Semester, 2004 **One-to-One Mapping** ... package cs683;  
import java.util.List; import net.sf.hibernate. ...  
www.eli.sdsu.edu/courses/fall04/cs683/notes/oneone/oneone.html - 18k -  
[Cached](#) - [Similar pages](#)

**Java vs C#**  
Having a **one to one mapping** between types and the file system is simpler ... NET  
class libraries are missing from the standard. When Java gets new APIs, ...  
www.veridicus.com/tummy/programming/java\_vs\_csharp.asp - 21k -  
[Cached](#) - [Similar pages](#)

**www.gpgpu.org :: View topic - First port of HelloGPU GLSL (C++) to ...**  
import java.awt.BorderLayout; import java.awt.Dimension; import java.awt.Frame; ...  
We need a **one-to-one mapping** of pixels to texels in order to ...  
www.gpgpu.org/forums/viewtopic.php?t=1719&  
start=0&postdays=0&postorder=asc&highlight= - 54k - [Cached](#) - [Similar pages](#)

**J-Integra For .NET Documentation**  
NET components from any type of Java object. Mix and match your Web ... which  
means that there is a **one-to-one mapping** between the class and type hierarchy. ...  
j-integra.intrinsyc.com/support/net/doc/whnjs.htm - 2k - [Cached](#) - [Similar pages](#)

**Object-relation mapping without the container**  
Hibernate uses XML (\*.hbm.xml) files to map Java classes to tables and JavaBeans ...  
class="net.sf.hibernate.Examples.Group" \*/ public Group getGroup() { ...  
www.ibm.com/developerworks/java/library/j-hibern/ - 71k - [Cached](#) - [Similar pages](#)

**Web services programming tips and tricks: Improve interoperability ...**  
NET and WebSphere. Because native data types and XSD data types do not share a  
**one-to-one mapping**, information or precision can be lost during the ...  
www.ibm.com/developerworks/webservices/library/ws-tip-j2eenet1/ - 57k -  
[Cached](#) - [Similar pages](#)

**Java – The Java Advantage for Web Services**  
However, there is no clear **one-to-one mapping** between different implementations.  
One implementation may take a Java date and map that to a datetime instance ...  
www.ftponline.com/channels/java/2005\_05/akolawa\_05\_11\_05/default\_pf.aspx - 23k -  
[Cached](#) - [Similar pages](#)

**glassfish: GlassFish - Java Persistence API FAQ**  
Otherwise, you should use <mapping-file> element in the persistence.xml file. ... Refer  
to https://glassfish.dev.java.net/issues/show\_bug.cgi?id=353 for ...  
https://glassfish.dev.java.net/javaee5/persistence/persistence\_faq.html - 54k -  
[Cached](#) - [Similar pages](#)

**One-to-One with David Chappell:: Swiss .NET User Group**  
NET, Windows 2000, Windows XP, Visual Studio, Microsoft .NET, Visual Studio .NET,  
C#, J# and Visual Basic are trademarks of Microsoft Corporation. Java is a ...  
www.dotmugs.ch/events/event.aspx?eid=43 - 11k - [Cached](#) - [Similar pages](#)

**XSLT:Blog[@author = 'M. David Peterson']/Main: [Announce] IKVM.NET ...**  
NET, the Java/.NET interoperability picture becomes "MUCH" more clear, ... Note that  
due to the object model mapping issues there is no **one-to-one** ...  
www.xsltblog.com/archives/2006/01/announce\_ikvmne.html - 22k -  
[Cached](#) - [Similar pages](#)

**XSLT:Blog[@author = 'M. David Peterson']/Main: Java VM for .NET ...**  
Note that due to the object model mapping issues there is no **one-to-one**  
correspondence from ... NET Weblog | version 0.18 of the IKVM.NET Java VM for ...  
www.xsltblog.com/archives/java\_vm\_for\_net\_platform/index.html - 44k -  
[Cached](#) - [Similar pages](#)

### Hydrate Cookbook

Hydrate is designed for flexibility in **mapping** arbitrary relational schemas to your chosen ... and you are trying to **map** this to and from **Java** objects, ...  
[hydrate.sourceforge.net/](http://hydrate.sourceforge.net/) - 17k - [Cached](#) - [Similar pages](#)

### Sun Community Champions at the 2006 JavaOne Conference

Thursday evening found me back at the [java.net](http://java.net) booth to do the SDN ... but that hasn't stopped this **group**: discussions continue on the mailing lists, ...  
[developers.sun.com/champions/javaone2006.html](http://developers.sun.com/champions/javaone2006.html) - 27k - [Cached](#) - [Similar pages](#)

### Griaule GrFinger Fingerprint SDK Biometric SDK, Fingerprint ...

Outstanding fingerprint **matching** speed: with a blazing fast **matching** speed up ...  
**NET**, Yes, **Java**, No support or Additional fee, No support or Additional fee ...  
[www.griaule.com/page/en-us/grfinger\\_sdk?origem=index](http://www.griaule.com/page/en-us/grfinger_sdk?origem=index) - 33k - [Cached](#) - [Similar pages](#)

### [doc] Migrating UNIX and Other Applications to .NET

File Format: Microsoft Word - [View as HTML](#)  
User Name **Mapping** can obtain UNIX user, password, and **group** information from one ... user **map**, users in a Windows domain are implicitly mapped **one-to-one** to ...  
[download.microsoft.com/download/9/c/8/9c8fb14b-da3c-462e-a8e9-ca26b0b50824/MigUNIX.doc](http://download.microsoft.com/download/9/c/8/9c8fb14b-da3c-462e-a8e9-ca26b0b50824/MigUNIX.doc) - [Similar pages](#)

### Hibernate Training

Define object relationships and build **mapping** documents to model them. ... Build **Java** applications that use Hibernate to create, retrieve, update, ...  
[www.webucator.com/Java/HIB118.cfm](http://www.webucator.com/Java/HIB118.cfm) - 20k - [Cached](#) - [Similar pages](#)

### Code Generation Network - SoproMach Java Pre-processor

Tjpp distinguishes between **Java** programmers that write the code and **Java** programmers that read the code, relieving the first **group** from the tedious work, ...  
[www.codegeneration.net/tiki-read\\_article.php?articleId=29](http://www.codegeneration.net/tiki-read_article.php?articleId=29) - 32k - [Cached](#) - [Similar pages](#)

### APHELION JREs (JavaTM Runtime Environments) Each Aphelion JRE ...

Each Aphelion JRE (**Java** Runtime Environment) is a software middleware that ...  
LLGL, and **one-to-one** mapping from SWT widgets to graphical functions of LLGL. ...  
[www.apogee.com/jre.html](http://www.apogee.com/jre.html) - 26k - [Cached](#) - [Similar pages](#)

### BitTorrent FAQ and Guide

Azureus - A full-featured **Java** BitTorrent client with many enhancements and ...  
Connection Sharing), this article on **mapping** ports might be useful. ...  
[dessent.net/btfaq/](http://dessent.net/btfaq/) - 111k - [Cached](#) - [Similar pages](#)

### IKVM.NET Weblog - Q & A

Having said that, in your comment you're on the right track, there is no **one-to-one** **mapping** between System.Type instances and java.lang.Class instances. ...  
[weblog.ikvm.net/CommentView.aspx?guid=01588455-4115-4f66-b5d0-0f5c19b630fb](http://weblog.ikvm.net/CommentView.aspx?guid=01588455-4115-4f66-b5d0-0f5c19b630fb) - 33k - [Cached](#) - [Similar pages](#)

### Jaxor | Model Driven Persistence

Then the Jaxor task can be used to convert the **mapping** files into the associated ... is packaged in the source code in [net.sourceforge.jaxor.example.users](http://net.sourceforge.jaxor.example.users) . ...  
[jaxor.sourceforge.net/](http://jaxor.sourceforge.net/) - 25k - [Cached](#) - [Similar pages](#)

### TWiki . Jxta . PipeBasics

Suppose you wish to create a **group** chat application. You flick through the Jxta documentation and see that most pipes are for **one-to-one** communication. ...  
[wiki.java.net/bin/view/Jxta/PipeBasics](http://wiki.java.net/bin/view/Jxta/PipeBasics) - 19k - [Cached](#) - [Similar pages](#)

### Erik's Linkblog

New data released by the NPD Group found that during its product launch, ...  
Axiomatic Multi-Platform C 1.5.4 (AMPC) is a C to **Java** class file compiler ...  
[erik.thauvin.net/linkblog/](http://erik.thauvin.net/linkblog/) - 78k - [Cached](#) - [Similar pages](#)

### [PDF] .NET and Java: A Study in Interoperability

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
from schema definitions first, and build object definitions to **match** against that. Both **.NET** and **Java** have. libraries and/or specifications to deal with ...  
[www.theserverside.net/tt/articles/content/Interoperability/Neward\\_Interoperability.pdf](http://www.theserverside.net/tt/articles/content/Interoperability/Neward_Interoperability.pdf) - [Similar pages](#)

### whisperim: Whisper IM secure Jabber instant messaging client home

The Source for **Java** Technology Collaboration ... All standard instant messaging features (messages, **one to one** chat, **group** chat, ... XML [java.net](http://java.net) RSS ...  
<https://whisperim.dev.java.net/> - 17k - [Cached](#) - [Similar pages](#)

### The Blog Ride - The Vietnam of Computer Science

**NET** 3.0 and the acceptance of the **Java** Persistence API as a replacement for ...

(one-to-one, one-to-many, many-to-one, many-to-many), and an O/R mapping has ...  
blogs.tedneward.com/2006/06/26/The+Vietnam+Of+Computer+Science.aspx - 107k -  
[Cached](#) - [Similar pages](#)

#### POM Object Creation - Ash Rofail

NET XML, System.XML ... The POM object members mapping to the entities on the '1'  
end of this ... When the one-to-one relationship to Details was found, ...  
www.topxml.com/conference/wrox/1999\_dc/text/ashdata\_object.asp - 25k -  
[Cached](#) - [Similar pages](#)

#### Hibernate Forums - View topic - invalid mapping The content of ...

Caused by: net.sf.hibernate.MappingException: invalid mapping ... (property|many-  
to-one|one-to-one|component|dynamic-component|any|map|set|list|bag|idbag| ...  
forum.hibernate.org/viewtopic.php?t=947616&  
highlight=&sid=875697e07eded5b7872ee7d9fea7c543 - 44k - [Cached](#) - [Similar pages](#)

#### TinyOS Community Forum II Blogs

Using WSN for many to one and one to one connection type ... at  
java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:305) at  
java.net.PlainSocketImpl. ...  
www.tinyos.net/scoop/section/Diary - 63k - [Cached](#) - [Similar pages](#)

#### Sun Microsystems-Reality Check

This type of mapping allows .NET to substantially support most of the languages, but  
completely support only those languages which map one to one to ...  
www.sun.com/executives/realitycheck/reality-031303.html - 30k -  
[Cached](#) - [Similar pages](#)

#### [PDF] Turn Your .NET App Into Java

File Format: PDF/Adobe Acrobat  
sible to perform strict one-to-one mapping. For example, exceptions. from the .NET  
platform are ... NET Apps to Java. Mainsoft's Visual MainWin lets Visual ...  
www.mainsoft.com/news/articles/vsmag\_sept05.pdf - [Similar pages](#)

#### Banish Your Resistance to Persistence with the EJB 3.0 Persistence API

The music store domain illustrates more complex mapping scenarios including ... In  
Java, a one-to-one relationship is simply a reference to an entity. ...  
www.devx.com/Java/Article/30161/0/page/4 - 99k - [Cached](#) - [Similar pages](#)

#### net.sf.hibernate.type (Hibernate API Documentation)

Type, Defines a mapping from a Java type to an JDBC datatype. ... CharBooleanType,  
Superclass for types that map Java boolean to SQL CHAR(1). ...  
www.dil.univ-mrs.fr/~massat/docs/hibernate-2/  
api/net/sf/hibernate/type/package-summary.html - 23k - [Cached](#) - [Similar pages](#)

#### Does J2EE live up to expectations? - Program - Java C C++ - Builder AU

Sun Microsystems touts the Java 2 Enterprise Edition (J2EE) as "the standard for ...  
data members of the EJB must map one-to-one with columns in a table. ...  
www.builder.au.com.au/program/java/soa/Does\_  
J2EE\_live\_up\_to\_expectations\_/0,339024620,320267973,00.htm - 45k - Dec 6, 2006 -  
[Cached](#) - [Similar pages](#)

#### Make the Java-Oracle9i connection - Java World

This ability to map Java objects directly to Oracle objects, ... Whether your design  
involves a one-to-one mapping of Oracle types to tables or a more ...  
www.javaworld.com/javaworld/jw-06-2003/jw-0613-oracle9i.html - 46k -  
[Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Google](#)**Advanced Search**[Advanced Search Tips](#) | [About Google](#)

<b>Find results</b>	with <b>all</b> of the words	<input type="text" value=".net java"/>	<input type="text" value="50 results"/> <input type="button" value="Google Search"/>
	with the <b>exact phrase</b>	<input type="text" value="one to one mapping"/>	
	with <b>at least one</b> of the words	<input type="text"/>	
	without the words	<input type="text"/>	
<b>Language</b>	Return pages written in	<input type="text" value="any language"/>	
<b>File Format</b>	<input type="text" value="Only"/> return results of the file format	<input type="text" value="any format"/>	
<b>Date</b>	Return web pages updated in the	<input type="text" value="anytime"/>	
<b>Numeric Range</b>	Return web pages containing numbers between	<input type="text"/> and <input type="text"/>	
<b>Occurrences</b>	Return results where my terms occur	<input type="text" value="anywhere in the page"/>	
<b>Domain</b>	<input type="text" value="Only"/> return results from the site or domain	<input type="text" value="e.g. google.com, .org"/> <a href="#">More info</a>	
<b>Usage Rights</b>	Return results that are	<input type="text" value="not filtered by license"/> <a href="#">More info</a>	
<b>SafeSearch</b>	<input checked="" type="radio"/> No filtering <input type="radio"/> Filter using <a href="#">SafeSearch</a>		

**Page-Specific Search**

<b>Similar</b>	Find pages similar to the page	<input type="text" value="e.g. www.google.com/help.html"/> <input type="button" value="Search"/>
<b>Links</b>	Find pages that link to the page	<input type="text"/> <input type="button" value="Search"/>

**Topic-Specific Searches**

[Google Book Search](#) - Search the full text of books  
 New! [Google Code Search](#) - Search public source code  
[Google Scholar](#) - Search scholarly papers  
[Google News archive search](#) - Search historical news

[Apple Macintosh](#) - Search for all things Mac  
[BSD Unix](#) - Search web pages about the BSD operating system  
[Linux](#) - Search all penguin-friendly pages  
[Microsoft](#) - Search Microsoft-related pages

[U.S. Government](#) - Search all U.S. federal, state and local government sites  
[Universities](#) - Search a specific school's website

©2006 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

.net java "one to one mapping"

[Search](#)

[Advanced Search](#)  
[Preferences](#)

## Web

Results 1 - 50 of about 45,600 for **.net java "one to one mapping"**. (0.29 seconds)

### [java.net: More Persistence for Client-Side Developers](#)

The simplest kind of relationship is a **one-to-one mapping**. ... View all **java.net** Articles. The whole address book app, GUI and persistence, in four hours. ... today.[java.net/pub/a/today/2006/06/08/more-ejb3-persistence-api-for-client-side-developer.html](#) - 41k - [Cached](#) - [Similar pages](#)

### [Java.net - the Source for Java\(tm\) Technology Collaboration](#)

**Java** Persistence provides many ways to customize your properties. ... The simplest kind of relationship is a **one-to-one mapping**. ... XML **java.net** RSS ... today.[java.net/lpt/a/295](#) - 28k - [Cached](#) - [Similar pages](#)  
[ More results from [today.java.net](#) ]

### [Java vs C#](#)

Having a **one to one mapping** between types and the file system is simpler ... **NET** class libraries are missing from the standard. When **Java** gets new APIs, ... [www.veridicus.com/tummy/programming/java\\_vs\\_csharp.asp](#) - 21k - [Cached](#) - [Similar pages](#)

### [CS683: Doc 29, One-to-One Mapping](#)

Emerging Technology Fall Semester, 2004 **One-to-One Mapping** ... package cs683; import **java.util.List**; import **net.sf.hibernate**. ... [www.eli.sdsu.edu/courses/fall04/cs683/notes/oneone/oneone.html](#) - 18k - [Cached](#) - [Similar pages](#)

### [\[PDF\] CS 683 Emerging Technologies Fall Semester, 2004 Doc 29 One-to-One ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
Doc 29 **One-to-One Mapping** slide # 8. Main.**java**. package cs683;. import **java.util.List**;. import **net.sf.hibernate.HibernateException**;. import **net.sf.hibernate** ... [www.eli.sdsu.edu/courses/fall04/cs683/notes/oneone/oneone.pdf](#) - [Similar pages](#)

### [Mark Lam's Blog: The BIG Picture: a Map of CVM](#)

There is a **one-to-one mapping** between the ee and the **java.lang**. ... In CVM, each **Java** thread has 2 physical stacks: a native stack, ... XML **java.net** RSS ... [weblogs.java.net/blog/mlam/archive/2006/11/the\\_big\\_picture.html](#) - 26k - [Cached](#) - [Similar pages](#)

### [Editor's Daily Blog: Closer to the Heart](#)

Registered users can submit news items for the **java.net** News Page using our ... Also, once this page is no longer featured as the front page of **java.net** it ... [weblogs.java.net/blog/editors/archives/2006/05/closer\\_to\\_the\\_h.html](#) - 25k - [Cached](#) - [Similar pages](#)  
[ More results from [weblogs.java.net](#) ]

### [The Richmond Post: XUL Titan Interview: Son To \(of Sulu fame\) - Part I](#)

Q: Can you tell us some challenges you faced building Sulu using **Java** and 'Swing'? ... This technique worked well when there's a **one to one mapping** between ... [xul.sourceforge.net/post/2004/06/xul\\_titan\\_interview\\_son\\_to\\_of\\_sulu\\_fame\\_part\\_i.html](#) - 13k - [Cached](#) - [Similar pages](#)

### [J-Integra For .NET Documentation](#)

**NET** and **Java**. J-Integra For **.NET** offers such enterprise companies the ability ... that there is a **one-to-one mapping** between the class and type hierarchy. ... [j-integra.intrinsyc.com/support/net/doc/whnjs.htm](#) - 2k - [Cached](#) - [Similar pages](#)

### [www.gpgpu.org :: View topic - First port of HelloGPU GLSL \(C++\) to ...](#)

... GLSL version to **Java** using jogl ([https://jogl.dev.java.net/](#)) and the porting is pretty ... We need a **one-to-one mapping** of pixels to texels in order to ... [www.gpgpu.org/forums/viewtopic.php?t=1719&start=0&postdays=0&postorder=asc&highlight=](#) - 54k - [Cached](#) - [Similar pages](#)

### ProcessBuilder (Java Platform SE 6 b104)

Since the external format of environment variable names and values is system-dependent, there may not be a **one-to-one mapping** between them and Java's ...

download [java.net/jdk6/docs/api/java/lang/ProcessBuilder.html](http://java.net/jdk6/docs/api/java/lang/ProcessBuilder.html) - 37k -

[Cached](#) - [Similar pages](#)

### RowSorter (Java Platform SE 6 b104)

`java.lang.Object` extended by `javax.swing.RowSorter<M>` ... RowSorter implementations typically don't have a **one-to-one mapping** with the underlying model, ...

download [java.net/jdk6/docs/api/javax/swing/RowSorter.html](http://java.net/jdk6/docs/api/javax/swing/RowSorter.html) - 37k -

[Cached](#) - [Similar pages](#)

### APHELION JREs (Java™ Runtime Environments) Each Aphelion JRE ...

The Java Secure Socket Extension (JSSE) package comprised of J2SE `java.net`, `javax.net`, `javax.net.ssl`, and `javax.security.cert` sub-packages. ...

[www.apogee.com/jre.html](http://www.apogee.com/jre.html) - 26k - [Cached](#) - [Similar pages](#)

### IKVM.NET Weblog - Q & A

... in your comment you're on the right track, there is no **one-to-one mapping** between System. ... namespace in .NET. In other words, a Java class `cli.Foo`. ...

[weblog.ikvm.net/CommentView.aspx?guid=01588455-4115-4f66-b5d0-0f5c19b630fb](http://weblog.ikvm.net/CommentView.aspx?guid=01588455-4115-4f66-b5d0-0f5c19b630fb) - 33k - [Cached](#) - [Similar pages](#)

### [PDF] Turn Your .NET App Into Java

File Format: PDF/Adobe Acrobat

sible to perform strict **one-to-one mapping**. For example, exceptions. from the .NET platform are ... .NET Apps to Java. Mainsoft's Visual MainWin lets Visual ...

[www.mainsoft.com/news/articles/vsmag\\_sept05.pdf](http://www.mainsoft.com/news/articles/vsmag_sept05.pdf) - [Similar pages](#)

### Java – The Java Advantage for Web Services

Let's look at the strengths that Java has over .Net and address some of ... However, there is no clear **one-to-one mapping** between different implementations. ...

[www.ftponline.com/channels/java/2005\\_05/akolawa\\_05\\_11\\_05/default\\_pf.aspx](http://www.ftponline.com/channels/java/2005_05/akolawa_05_11_05/default_pf.aspx) - 23k -

[Cached](#) - [Similar pages](#)

### Web services programming tips and tricks: Improve interoperability ...

.NET and WebSphere. Because native data types and XSD data types do not share a **one-to-one mapping**, information or precision can be lost during the ...

[www.ibm.com/developerworks/webservices/library/ws-tip-j2eenet1/](http://www.ibm.com/developerworks/webservices/library/ws-tip-j2eenet1/) - 57k -

[Cached](#) - [Similar pages](#)

### Web services programming tips and tricks: Improve the ...

.NET and WebSphere. Consider the Java Web service method in Listing 6. ... A **one-to-one mapping** is not available between native data types and XSD data types ...

[www.ibm.com/developerworks/java/library/ws-tip-j2eenet2.html](http://www.ibm.com/developerworks/java/library/ws-tip-j2eenet2.html) - 53k -

[Cached](#) - [Similar pages](#)

### InfoQ: Agile Asset Management with Ruby DSLs

Sponsored Links. Article: Java and .NET Key Integration Scenarios by ... Also, there isn't the same **one-to-one mapping** between method definitions and ...

[www.infoq.com/articles/Agile-Asset-Management](http://www.infoq.com/articles/Agile-Asset-Management) - 51k - [Cached](#) - [Similar pages](#)

### Chat Transcript: Getting High Performance from Your Desktop Client

Scott Violet: Having a **one-to-one mapping** between source and action will ...

JavaGeek: How closely are you working with the projects on dev.java.net? ...

[java.sun.com/developer/community/chat/JavaLive/2005/jl0215.html](http://java.sun.com/developer/community/chat/JavaLive/2005/jl0215.html) - 51k -

[Cached](#) - [Similar pages](#)

### Leveraging Existing Native Libraries

**One-to-one mapping** and shared stubs are both techniques for wrapping native ... internally to implement the `java.io`, `java.net`, and `java.awt` packages. ...

[java.sun.com/docs/books/jni/html/stubs.html](http://java.sun.com/docs/books/jni/html/stubs.html) - 57k - [Cached](#) - [Similar pages](#)

[ [More results from java.sun.com](#) ]

### Make the Java-Oracle9i connection - Java World

**Net** or even comment on the merits of its architecture; our goal is to draw ... Whether your design involves a **one-to-one mapping** of Oracle types to tables ...  
[www.javaworld.com/javaworld/jw-06-2003/jw-0613-oracle9i.html](http://www.javaworld.com/javaworld/jw-06-2003/jw-0613-oracle9i.html) - 46k -  
[Cached](#) - [Similar pages](#)

**Java Tip 92: Use the JVM Profiler Interface for accurate timing ...**  
Fortunately, **Java 2's Java Virtual Machine Profiler Interface (JVMPi)** provides the correct ... where a thread is akin to a process (**one-to-one mapping**). ...  
[www.javaworld.com/javaworld/jvatiptip92.html](http://www.javaworld.com/javaworld/jvatiptip92.html) - 35k -  
[Cached](#) - [Similar pages](#)  
[ [More results from www.javaworld.com](#) ]

**substance: Substance look and feel - themes**  
The Source for **Java Technology Collaboration** ... so there is no **one-to-one mapping** chart that defines all the uses of a certain color. ... **XML java.net RSS** ...  
<https://substance.dev.java.net/docs/themes.html> - 31k - [Cached](#) - [Similar pages](#)

**java.net Forums**  
Home » **java.net Forums** » Communications » Mobicents Contributors ... SIP implementation that allows **one-to-one mapping** > between providers and listeners. ...  
[forums.java.net/jive/thread.jspa?messageID=128685](http://forums.java.net/jive/thread.jspa?messageID=128685) - 64k - [Cached](#) - [Similar pages](#)

**java.net Forums**  
... and as such there isn't necessarily a **one-to-one mapping** between coordinates (integer or ... <http://forums.java.net/jive/thread.jspa?messageID=116601> ...  
[forums.java.net/jive/thread.jspa?threadID=15602](http://forums.java.net/jive/thread.jspa?threadID=15602) - 46k - [Cached](#) - [Similar pages](#)  
[ [More results from forums.java.net](#) ]

**Optimizing NET Compilers for Improved Java Performance**  
**NET** translates **java** bytecode to optimize native machine code. ... hand-translated to **Java** source code, staying as close as possible to a **one-to-one mapping**. ...  
[doi.ieeecomputersociety.org/10.1109/2.587551](http://doi.ieeecomputersociety.org/10.1109/2.587551) - [Similar pages](#)

**XML.com: Why XML is Meant for Java?**  
If we assume a simple **one-to-one mapping** between elements and **Java** classes, ... load it over the **Net** if necessary, and create an instance. ...  
[www.xml.com/pub/a/1999/06/fuchs/fuchs.html](http://www.xml.com/pub/a/1999/06/fuchs/fuchs.html) - 32k - [Cached](#) - [Similar pages](#)

**Forte to Java Migration**  
There are architecture components that don't have a **one-to-one mapping** and will ... **NET** and **Forte to Java** migration services. Please visit our website at: ...  
[swforums.sun.com/jive/thread.jspa?threadID=15423](http://swforums.sun.com/jive/thread.jspa?threadID=15423) - 45k - [Cached](#) - [Similar pages](#)

**Introduction - Web Services Interoperability between J2EE and .NET ...**  
But due to the implementation difference in the underlying technologies (**Java™ 2 Platform, Enterprise Edition (J2EE)** technology versus **Microsoft® .NET**) ...  
[www.developerfusion.co.uk/show/4707/](http://www.developerfusion.co.uk/show/4707/) - 17k - [Cached](#) - [Similar pages](#)

**Introduction - Web Services Interoperability between J2EE and .NET ...**  
Because native data types and **XSD** data types do not share a **one-to-one mapping**, ... **NET** and **Java** technology can result in namespace conflicts, ...  
[www.developerfusion.co.uk/show/4694/](http://www.developerfusion.co.uk/show/4694/) - 19k - [Cached](#) - [Similar pages](#)  
[ [More results from www.developerfusion.co.uk](#) ]

**public virtual MemoryStream: Unified Data Access For .NET? .NOT ...**  
**Luke Hutteman** on **Java**, **NET**, **J2EE**, **RSS** and whatever else comes to mind. ... factory takes a "type" parameter which has a **one-to-one mapping** to this class. ...  
[www.hutteman.com/weblog/2003/11/19-143.html](http://www.hutteman.com/weblog/2003/11/19-143.html) - 19k - [Cached](#) - [Similar pages](#)

**JYaml - Yaml library for the Java language**  
Note that the transfer mapping must be a **one-to-one mapping**. ... I welcome suggestions and bug reports to [airportyh@users.sourceforge.net](mailto:airportyh@users.sourceforge.net).  
[yaml.sourceforge.net/tutorial.html](http://yaml.sourceforge.net/tutorial.html) - 11k - [Cached](#) - [Similar pages](#)

**CA\*net 4 - UCLP on CA\*net 4**  
Client GUI of **Univresity of Ottawa** - **Communications Research Centre's UCLP** that connects **CA\*net 4** is launched via the **Java Web Start** software, ...  
[www.canarie.ca/canet4/uclp/uclponc4.html](http://www.canarie.ca/canet4/uclp/uclponc4.html) - 15k - [Cached](#) - [Similar pages](#)



### Explaining integration II

The confusion factor is that there is not a **one to one mapping** between requirements ... **NET, Java** and EAI questions. Couldn't attend one of our Webcasts? ...  
searchwebservices.techtarget.com/originalContent/0,289142,sid26\_gci950706,00.html  
- 56k - [Cached](#) - [Similar pages](#)

### Eclipse casts shadows

Eclipse's SWT, by contrast, encapsulates the native OS transparently, using a **one-to-one mapping** from **Java** to C. That means Eclipse's JFace layer can more ...  
www.infoworld.com/articles/pl/xml/02/06/17/020617pleclipse.html?Template=/storypages/printfriendly.html - [Similar pages](#)

### Hibernate Forums - View topic - Limitations of <one-to-one> mapping

Unfortunately if I understand the hibernate **<one-to-one> mapping** correctly it works by ... at **net.sf.hibernate.engine.Cascade**\$3.cascade(**Cascades.java**:81) ...  
forum.hibernate.org/viewtopic.php?t=200&sid=204b0c33ef4b7e4a16cb7c98e04d0dda  
- 32k - [Cached](#) - [Similar pages](#)

### OpenLink Virtuoso: Open-Source Edition: Main.VOSDBFAQ

Virtuoso can extend SQL by import **Java** and **.net** classes and functions as well as ...  
For a **one-to-one mapping** between a foreign key relation in SQL and tree ...  
virtuoso.openlinksw.com/wiki/main/Main/VOSDBFAQ - 26k - [Cached](#) - [Similar pages](#)

### Pragmatic Architecture: Layering

He is an authority in **Java** and **.NET** technologies, particularly in the areas of **Java/.NET** integration (both in-process and by way of integration tools like ...  
msdn2.microsoft.com/en-us/aa905336.aspx - 26k - [Cached](#) - [Similar pages](#)

### Ramakrishnan TopLink

A team of **Java** developers is attempting to solve the persistence issue on ... many different operations: **one-to-one mapping**, one-to-many, many-to-many. ...  
www.oracle.com/technology/oramag/webcolumns/2003/opinion/ramakrishnan\_toplink.html - 81k - [Cached](#) - [Similar pages](#)

### Oracle9iAS TopLink By Example

The form includes fields to capture the name of the **Java** Database Connectivity ... In a **one-to-one mapping**, the source is the table that contains the object ...  
www.oracle.com/technology/oramag/webcolumns/2003/techarticles/pepperdine\_TopLink.html - 77k - [Cached](#) - [Similar pages](#)

### Value Added Approach For Creating Web Services Controls

However, simply creating a **one to one mapping** from a control to an existing web service is often not enough. ... **setEndPoint(new java.net. ...**  
dev2dev.bea.com/pub/a/2004/03/wlw\_wsc.html - 41k - [Cached](#) - [Similar pages](#)

### The Road to MSBuild « notgartner

**NET** developers, the heavy **Java** dependencies of Ant didn't necessarily sit ... I'm not sure if its a **one-to-one mapping** but it does tweak these settings in ...  
notgartner.com/posts/1573.aspx - 35k - [Cached](#) - [Similar pages](#)

### Dali Object-Relational Mapping Tool Advanced Tutorial

https://jvaserverfaces.dev.java.net/ ... Use a **One-to-One Mapping** to define a relationship from an attribute to another class, with one-to-one multiplicity ...  
www.eclipse.org/dali/docs/tutorial/jsf/dali\_jsf\_tutorial.htm - 53k - [Cached](#) - [Similar pages](#)

### [PPT] Gartner Day

File Format: Microsoft Powerpoint - [View as HTML](#)  
xsi:type="toplink:one-to-one-mapping"> ... Map **Java** objects to database using Mapping Workbench; Write queries using Mapping Workbench; Output: XML metadata ...  
aosd.net/2005/archive/TopLink\_AOSD\_2005.ppt - [Similar pages](#)

### Edif2XilinxName

... value is an EdifObject (EdifNet or EdifCellInstance). This is a **one to one mapping**.  
... public static **java.util.ArrayList** getAllNetNames(**EdifNet** net, ...  
reliability.ee.byu.edu/edif/codeDoc/release\_0.2.2/  
byucc/edif/libraries/xilinx/Edif2XilinxName.html - 35k - [Cached](#) - [Similar pages](#)

RE: [ObjectWeb architecture] just an idea for (Java) native ...

If we think only in a OO perspective, one could imagine a **one-to-one mapping** on **Java** and OCaml features. \* Possible problem(s) : - I don't think that OCaml ...  
mail-archive.objectweb.org/architecture/2003-09/msg00033.html - 16k -  
[Cached](#) - [Similar pages](#)

DevPointer: games

Read the user guide available in Resources to get started.  
http://www.devpointer.net/redirect.php?id=1383 Third-party products that extend the **Java** language ...  
www.devpointer.net/browse.php?l=g&t1=11&fmt=rss1 - 12k - [Cached](#) - [Similar pages](#)

Re: .net to Java plugin (Re: 11 Reasons Why .NET Will Fail)

Re: .net to Java plugin (Re: 11 Reasons Why .NET Will Fail) ... exist a **one-to-one mapping** between a class in one library to the other. The ...  
schestowitz.com/UseNet/2006/May\_2006\_2/msg00084.html - 10k -  
[Cached](#) - [Similar pages](#)

OpenLink Universal Integration Middleware - Virtuoso Product ...

The **Java** and .net clients are pure **Java** and .Net respectively. ... For a **one-to-one mapping** between a foreign key relation in SQL and tree hierarchy in XML, ...  
www.openlinksw.com/virtuoso/overview/datamanager/FAQ/index.htm - 33k -  
[Cached](#) - [Similar pages](#)

Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Google](#)**Advanced Search**[Advanced Search Tips](#) | [About Google](#)

<b>Find results</b>	with <b>all</b> of the words	<input type="text"/>	<input type="button" value="50 results"/> <input type="button" value="Google Search"/>
	with the <b>exact phrase</b>	<input type="text"/>	
	with <b>at least one</b> of the words	<input type="text"/>	
	<b>without</b> the words	<input type="text"/>	
<b>Language</b>	Return pages written in	<input type="text" value="any language"/>	
<b>File Format</b>	<input type="checkbox"/> Only <input type="checkbox"/> return results of the file format	<input type="text" value="any format"/>	
<b>Date</b>	Return web pages updated in the	<input type="text" value="anytime"/>	
<b>Numeric Range</b>	Return web pages containing numbers between	<input type="text"/> and <input type="text"/>	
<b>Occurrences</b>	Return results where my terms occur	<input type="text" value="anywhere in the page"/>	
<b>Domain</b>	<input type="checkbox"/> Only <input type="checkbox"/> return results from the site or domain	<input type="text" value="e.g. google.com, .org"/> <a href="#">More info</a>	
<b>Usage Rights</b>	Return results that are	<input type="text" value="not filtered by license"/> <a href="#">More info</a>	
<b>SafeSearch</b>	<input checked="" type="radio"/> No filtering <input type="radio"/> Filter using <a href="#">SafeSearch</a>		

**Page-Specific Search**

<b>Similar</b>	Find pages similar to the page	<input type="text" value="e.g. www.google.com/help.html"/> <input type="button" value="Search"/>
<b>Links</b>	Find pages that link to the page	<input type="text"/> <input type="button" value="Search"/>

**Topic-Specific Searches**

[Google Book Search](#) - Search the full text of books  
[New! Google Code Search](#) - Search public source code  
[Google Scholar](#) - Search scholarly papers  
[Google News archive search](#) - Search historical news

[Apple Macintosh](#) - Search for all things Mac  
[BSD Unix](#) - Search web pages about the BSD operating system  
[Linux](#) - Search all penguin-friendly pages  
[Microsoft](#) - Search Microsoft-related pages

[U.S. Government](#) - Search all U.S. federal, state and local government sites  
[Universities](#) - Search a specific school's website

©2006 Google

[Sign in](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"one to one mapping between java and .net"

[Search](#)

[Advanced Search](#)  
[Preferences](#)

---

## Web

Tip: Try removing quotes from your search to get more results.

Your search - **"one to one mapping between java and .net"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Google](#)**Advanced Search**[Advanced Search Tips](#) | [About Google](#)

<b>Find results</b>	with <b>all</b> of the words	<input type="text"/>	<input type="text" value="50 results"/>	<input type="button" value="Google Search"/>
	with the <b>exact phrase</b>	<input type="text" value="one to one mapping between"/>		
	with <b>at least one</b> of the words	<input type="text"/>		
	<b>without</b> the words	<input type="text"/>		
<b>Language</b>	Return pages written in	<input type="text" value="any language"/>		
<b>File Format</b>	<input type="text" value="Only"/> return results of the file format	<input type="text" value="any format"/>		
<b>Date</b>	Return web pages updated in the	<input type="text" value="anytime"/>		
<b>Numeric Range</b>	Return web pages containing numbers between	<input type="text"/> and <input type="text"/>		
<b>Occurrences</b>	Return results where my terms occur	<input type="text" value="anywhere in the page"/>		
<b>Domain</b>	<input type="text" value="Only"/> return results from the site or domain	<input type="text" value="e.g. google.com, .org"/> <a href="#">More info</a>		
<b>Usage Rights</b>	Return results that are	<input type="text" value="not filtered by license"/> <a href="#">More info</a>		
<b>SafeSearch</b>	<input checked="" type="radio"/> No filtering <input type="radio"/> Filter using <a href="#">SafeSearch</a>			

**Page-Specific Search**

<b>Similar</b>	Find pages similar to the page	<input type="text" value="e.g. www.google.com/help.html"/> <input type="button" value="Search"/>
<b>Links</b>	Find pages that link to the page	<input type="text"/> <input type="button" value="Search"/>

**Topic-Specific Searches**

[Google Book Search](#) - Search the full text of books  
 New! [Google Code Search](#) - Search public source code  
[Google Scholar](#) - Search scholarly papers  
[Google News archive search](#) - Search historical news

[Apple Macintosh](#) - Search for all things Mac  
[BSD Unix](#) - Search web pages about the BSD operating system  
[Linux](#) - Search all penguin-friendly pages  
[Microsoft](#) - Search Microsoft-related pages

[U.S. Government](#) - Search all U.S. federal, state and local government sites  
[Universities](#) - Search a specific school's website

©2006 Google

[Sign in](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"one to one mapping between .net and java"

[Search](#)

[Advanced Search](#)  
[Preferences](#)

---

## Web

Tip: Try removing quotes from your search to get more results.

Your search - **"one to one mapping between .net and java"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google